

NOTICE TO BIDDERS

Bids must be received in the Office of the County Clerk, for the following materials to be furnished to the Beaver County Commissioners for the period of September 8, 2015 to March 21, 2016.

SPECIFICATIONS AND INSTRUCTIONS TO BIDDERS

All bids must be filed with the County Clerk, **no later than 5:00 p.m. on August 28, 2015**. Bids will be opened on August 31, 2015 at 9:30 a.m. Bids must be received in **sealed envelopes with 6 mo. bid # _____ and closing date** written on the outside of the envelope. The items listed herein are to be used as a guide for the Bidders agreement to sell, and shall not be considered as the County's agreement to buy. However, it is anticipated that the County will buy the majority of the items listed within the time specified. **All items shall be in compliance with the required Oklahoma State Department of Transportation and Federal materials specifications.**

DELIVERY

The bidders, whose proposal is accepted, shall deliver the items, in such quantities and to such locations within Beaver County. Delivery must be within (10) days from the date of the order. The Board reserves the right to reject any or all bids.

Brad Raven, Chairman
Frank King, Vice-Chairman
C.J. Rose, Member

MAIL BIDS TO:

Beaver County Clerk
Tammy Millikan
P.O. Box 338
Beaver, Oklahoma 73932

NOTICE: BID AWARDS WILL NO LONGER BE MAILED, AS THEY MAY BE OBTAINED FROM THE COUNTY WEBSITE www.beaver.okcounties.org.

SA&I FORM NO. 1-4040 (1982) Invitation to Bid and Noncollusion Affidavit - Back Side

TERMS AND CONDITIONS

1. Sealed bids will be opened in the Commissioner's Conference Room, _____ Beaver _____ County Courthouse, _____ Beaver _____, Oklahoma, at the time and date shown on the invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B. destination.
5. Purchases by _____ Beaver _____ County, Oklahoma, are not subject to state or federal taxes.
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
8. Bids will be firm until _____ (Date)

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say that he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussion between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this _____ day
of _____ 20 _____

(SEAL)

Firm: _____

My commission expires _____

Signed by: _____ Title: _____

Print Name: _____

NOTARY PUBLIC (CLERK OR JUDGE)

Address: _____ Phone: _____

City: _____ State: _____

Zip: _____

NOTE: Other terms and conditions can be added at the discretion of the county officer.

BEAVER COUNTY
6 MONTHS BIDS #1
SEPTEMBER 8, 2015 TO MARCH 21, 2016

2 2/3" X 1/2" ARCHED CORRUGATED PIPE
16 GA. 14 GA.

18" _____
24" _____
30" _____
36" _____
48" _____

3" X 1" ARCHED CORRUGATED PIPE

53" X 41" 14 GA. _____
60" X 46" 14 GA. _____
66" X 51" 14 GA. _____
73" X 55" 14 GA. _____
81" X 59" 14 GA. _____
87" X 63" 14 GA. _____
95" X 67" 12 GA. _____

2 2/3" X 1/2" ROUND CORRUGATED PIPE
16 GA. 14 GA.

18" _____
24" _____
30" _____
36" _____
48" _____
60" _____

3" X 1" ROUND CORRUGATED PIPE

60" 16 GA. _____
66" 16 GA. _____
72" 16 GA. _____
78" 16 GA. _____
84" 14 GA. _____
90" 14 GA. _____
96" 14 GA. _____
102" 14 GA. _____
108" 12 GA. _____
114" 12 GA. _____
120" 12 GA. _____

BEAVER COUNTY
 6 MONTHS BIDS #1
 SEPTEMBER 8, 2015 TO MARCH 21, 2016

**Corrugated Polypropylene Pipe
 AASHTO 330 Highway Specification
 20' & 13' Lengths Available – All Pipe Watertight**

CORRUGATED POLYPROPYLENE PIPE (AASHTO M330)

12" Coupler	_____/LF _____/EACH	_____ _____ _____
15" Coupler	_____/LF _____/EACH	_____ _____ _____
18" Coupler	_____/LF _____/EACH	_____ _____ _____
21" Coupler	_____/LF _____/EACH	_____ _____ _____
24" Coupler	_____/LF _____/EACH	_____ _____ _____
30" Coupler	_____/LF _____/EACH	_____ _____ _____
36" Coupler	_____/LF _____/EACH	_____ _____ _____
42" Coupler	_____/LF _____/EACH	_____ _____ _____
48" Coupler	_____/LF _____/EACH	_____ _____ _____
60" Coupler	_____/LF _____/EACH	_____ _____ _____

DUAL WALL POLYPROPYLENE PIPE

All Polypropylene pipe is AASHTO (Highway) rated under spec M330 for use under roadway applications capable of H-25 traffic loads (per manufacturers recommended installation procedures).

BEAVER COUNTY
6 MONTHS BIDS #2
SEPTEMBER 8, 2015 TO MARCH 21, 2016

CHIPS	TON	_____
1/2"	_____	_____
3/4"	_____	_____
3/8"	_____	_____
5/8"	_____	_____
SCREENED ROCK	TON	_____
1 1/4"	_____	_____
1 1/2"	_____	_____
ASPHALT TYPE B (supply lay down machine)	TON	_____
ASPHALT TYPE D (supply lay down machine)	TON	_____
	_____	_____
TACK COAT (applied)	GAL.	_____
	_____	_____
POLYMER MODIFIED COLD PATCH	TON	_____
	_____	_____
HOT MIX COLD LAY	TON	_____
	_____	_____
HAULING (Rock, Asphalt & Road Materials) (Bid per Ton plus mileage)	_____	_____
CONCRETE – PER YARD	_____	_____
MILEAGE – PER MILE	_____	_____

BEAVER COUNTY
6 MONTHS BIDS #3
SEPTEMBER 8, 2015 TO MARCH 21, 2016

MC 70	GAL.	_____	_____
MC 800	GAL.	_____	_____
MC 800 +	GAL.	_____	_____
MC 3000	GAL.	_____	_____
EMULSION - CRS - 2	GAL.	_____	_____
EMULSION - CRS - 2+	GAL.	_____	_____

Return Freight _____

BEAVER COUNTY
6 MONTHS BIDS #4
SEPTEMBER 8, 2015 TO MARCH 21, 2016

PILE	L.F.	
HP 10X42		
HP 12X53		
10" X 3/8" Wall Pipe		
PILE DRIVING		
HP 10X42		
HP 12X53		
10" X 3/8" Wall Pipe		
STRUCTURAL STEEL (I&H Beams) A-36		
New Per lb.		
Used Per lb.		
STRUCTURAL STEEL (Angles & Channels) A-36		
New Per lb.		
Used Per lb.		
18" GALVANIZED INTERLOCKING SHEETING		
12 Gauge Sq. Ft.		
10 Gauge Sq. Ft.		
21.7" GALVANIZED INTERLOCKING SHEETING		
12 Gauge Sq. Ft.		
10 Gauge Sq. Ft.		
2' WIDE GALVANIZED STEEL BRIDGE PLANKS		
12 Gauge Sq. Ft.		
10 Gauge Sq. Ft.		
REBAR GRADE 60	Per Ft.	
1/2"		
5/8"		
CRANE RENTAL		
15 Ton Minimum Per Hour		
TRACKHOE	Per hour	
FORKLIFT	Per Hour	
GUARD RAILING	Per Ft.	
New		
Used		
STAY INPLACE FORMING	Sq. Ft.	
22 Gauge		
24 Gauge		
OKLAHOMA CERTIFIED STRUCTURAL WELDING		
Per Hour		

BEAVER COUNTY
6 MONTHS BID #5
SEPTEMBER 8, 2015 TO MARCH 21, 2016

Roundup	_____
2.5 Gallon	_____
30 Gallon	_____
Bulk	_____
Amine 2-4-D	_____
2.5 Gallon	_____
30 Gallon	_____
Bulk	_____
Banvel	_____
2.5 Gallon	_____
30 Gallon	_____
Bulk	_____
Ally	_____
Per Ounce	_____
Surfactant	_____
2.5 Gallon	_____
30 Gallon	_____
Bulk	_____
Liquid Ammonia Sulfate	_____
2.5 Gallon	_____
30 Gallon	_____
Bulk	_____
LV6 2-4-D	_____
2.5 Gallon	_____
30 Gallon	_____
Bulk	_____
Crop Oil	_____
2.5 Gallon	_____
30 Gallon	_____
Bulk	_____
Dry Ammonia Sulfate per lb.	_____

BEAVER COUNTY
6 MONTHS BIDS #6
SEPTEMBER 8, 2015 TO MARCH 21, 2016

GRADER RADIAL TIRES

1400 x 24

TRUCK RADIAL TIRES

1100 x 22.5 HIGHWAY

1100 x 22.5 STEERING

1100 x 22.5 ALL SEASON

1100 x 24.5 HIGHWAY

1100 x 24.5 STEERING

1100 x 24.5 ALL SEASON

TRACTOR TIRES

18.4 R 38

14.9 R 28

BEAVER COUNTY
6 MONTHS BIDS #7
SEPTEMBER 8, 2015 TO MARCH 21, 2016

GRADER BLADES	PER FT.
5/8 X 6 (WITH 5/8 HOLES)	_____
5/8 X 8 (WITH 5/8 HOLES)	_____
5/8 X 6 (WITH 3/4 HOLES)	_____
5/8 X 8 (WITH 3/4 HOLES)	_____

BEAVER COUNTY
6 MONTHS BIDS #8
SEPTEMBER 8, 2015 TO MARCH 21, 2016

PRODUCT FOR USE WITH EXTREME PRESSURE GEAR OILS

1. Must have capability of forming a protective film at boundary lubrication conditions.
2. Must have anti-wear & extreme pressure additives.
3. Must have corrosion inhibitor additive package.
4. Must be compatible with all types of seals that are used with hydrocarbon based lubricants.
5. Must be made with a hydro-treated base stock.
6. Manufacturer must be ISO 9000 certified.
7. Must have a flashpoint above the boiling point of water. Indicate flash point level _____ °F (_____ °C).
8. Must have viscosity characteristics such that the viscosity of the gear oil will not be affected. Indicate viscosity at 40°C _____, 100°C _____.
9. Must not contain any heavy metals.
10. Must not be a metal treatment/metal conditioner.
11. Must not contain hazardous or toxic ingredients that will affect skin or eye tissue.
12. Must not exceed an application rate of 5% gear oil volume.

Does your product bid meet the above specifications? Yes ___ No ___ If no, please explain.

Price per 20 liter pail \$ _____

Please state product name of item bid: _____

PRODUCT FOR USE WITH HYDRAULIC AND/OR RECIRCULATING OIL ONLY

1. Must have capability of forming a protective film at boundary lubrication conditions.
2. Must have anti-wear & extreme pressure additives.
3. Must have corrosion inhibitor additive package.
4. Must improve pour point.
5. Must have water separability (demulsibility) additive package.
6. Must be compatible with all types of seals that are used with hydrocarbon based lubricants.
7. Must be made with a hydro-treated base stock.
8. Manufacturer must be ISO 9000 certified.
9. Must have flash point above the boiling point of water. Indicate flash point level _____ °F (_____ °C).
10. Must have viscosity characteristics such that the viscosity of hydraulic oils up to ISO 68 will not be affected. Indicate viscosity at 40°C _____ and at 100°C _____.
11. Must not contain heavy metals.
12. Must not be a metal treatment/metal conditioner.
13. Must not contain hazardous, or toxic ingredients that will affect skin or eye tissue.
14. Must not exceed an application rate of 5% hydraulic oil volume.

Does your product bid meet the above specifications? Yes ___ No ___ If no, please explain.

Price per 20 liter pail \$ _____

Please state product name of item bid: _____

PRODUCT FOR ENGINE CRANKCASE; AUTOMATIC TRANSMISSION; POWER SHIFT TRANSMISSION; HYDRAULIC AND/OR RECIRCULATING SYSTEMS

1. Must have capability of forming a protective film at boundary lubrication conditions.
2. Must have acid scavenger and detergent/dispersant additive package.
3. Must have anti-wear and extreme pressure additives.
4. Must have corrosion inhibitor additive package.
5. Must be compatible with all types of seals that are used with hydrocarbon based lubricants.
6. Must have a flash point above the boiling point of water. Indicate flash point level _____ °F (_____ °C).
7. Must be made with a hydro-treated base stock.
8. Manufacturer must be ISO 9000 certified.
9. Must have viscosity characteristics that the viscosity of the carrier lubricant will not be affected. Indicate viscosity at 40°C _____ and at 100°C _____.
10. Must not contain any heavy metals.
11. Must not be a metal treatment/metal conditioner.
12. Must not contain hazardous or toxic ingredients that will affect skin or eye tissue.
13. Must not exceed an application rate of 5% oil volume.

Does your product bid meet the above specifications? Yes _____ No _____ If no, please explain.

Price per 20 liter pail \$ _____

Please state product name of item bid: _____

DIESEL ADDITIVE

1. Must be registered with the U.S. E.P.A. (A requirement for all fuel additives).
2. Must have capability of forming a protective film on fuel components under boundary lubrication conditions.
3. Must have anti-wear and lubricity additives.
4. Must have rust and corrosion inhibitor additive package.
5. Must have injector cleaning additives.
6. Must not adversely affect cetane index (ASTM D4737) or copper corrosion rating (ASTM D130) of low sulfur diesel fuel.
7. Manufacturer must be ISO 9000 certified.
8. Must have less than 0.01% ash content. Indicate ash content: _____
9. Must have cold flow improvers for cold weather operation. Indicate the improvement range in pour point for typical low sulfur diesel fuel: _____
10. Must not exceed an application rate of 1:1250. Indicate application rate: _____

Does your product bid meet the above specifications? Yes _____ No _____ If no, please explain.

Price: Case of 5 liters (4 containers per case) \$ _____
20 liter pail \$ _____
205 liter drum \$ _____

Please state product name of item bid: _____