

# **BEAVER COUNTY CLERK**

**Kelly Yeomans  
P. O. BOX 338  
BEAVER, OKLAHOMA 73932  
PHONE 580 625-3151**

## **TO WHOM IT MAY CONCERN:**

Bids will be received until **April 22, 2022 at 5:00 P.M.** in the Beaver County Clerk's Office of the Beaver County Courthouse in Beaver, Oklahoma.

Said bids will be publicly opened and considered by the Board of Beaver County Commissioners in the Commissioner's Office on the **25<sup>th</sup> day of April, 2022 at 10:00 A.M.** with the right being reserved to reject any or all bids.

The following criteria should be met when submitting a bid:

1. The bid shall be made on the enclosed "Invitation to Bid" and the Affidavit of Non-Collusion must be signed and notarized.
2. All prices quoted shall be F.O.B. Beaver County.
3. Place your bid in a sealed envelope clearly marked, "**SEALED BID #5**". This ensures that the bid will not be voided due to accidental opening.
4. On all bids requiring services or contract labor, proof of liability insurance with at least \$1,000,000.00 liability and Workmen's Compensation is required. If you cannot furnish these you must furnish us with a Certificate of Non-Coverage.

**NOTE: ALL BID PROPOSALS WILL BE DEEMED INVALID AND THEREFORE REJECTED WHICH DO NOT CONTAIN THE "INVITATION TO BID" AND THE SIGNED AND NOTARIZED "NON-COLLUSION AFFIDAVIT".**

Thank you for your cooperation and participation in this bidding procedure. Should you have any questions, please feel free to contact the Beaver County Clerk's Office at (580) 625-3151.

Respectfully,

Kelly Yeomans  
Beaver County Clerk

Kelly Yeomans, Beaver County Clerk  
 COUNTY PURCHASING OFFICE  
 P.O. Box 338  
 Beaver, Oklahoma  
 Phone: (580) 625-3151

INVITATION TO BID

April 4, 2022
Page 1 of 3

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE SIDE RELATING TO SUBMISSION OF THIS BID.  
 Notarized Affidavit completions and signature required on reverse side.

BID NUMBER	BID CLOSING DATE AND HOUR	REQUIRED DELIVERY DATE
#5	April 22, 2022 @ 5:00 P.M.	

TERMS:	DATE OF DELIVERY:
--------	-------------------

Item	Quantity	Unit of Issue	Description	Unit Price	Total
			The Board of County Commissioners will open sealed bids for the sale of the following equipment <b>2016 John Deere 772G Grader 6WD</b> <b>Serial #1DW772GXPF673049</b> <b>Approx. 6700 Hours</b>  <b>Bids must be received in the County Clerk's Office by April 22, 2022.</b>  <b>Bids will be opened on April 25, 2022 at 10:00 A.M.</b>  <b>The Board reserves the right to reject any or all bids.</b>  <b>*Specs Attached</b>		

**TERMS AND CONDITIONS**

1. Sealed bids will be opened in the Commissioner's Conference Room, Beaver County Courthouse, Beaver, Oklahoma, at the time and date shown on the invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B. destination.
5. Purchases by Beaver County, Oklahoma, are not subject to state or federal taxes.
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
8. Bids will be firm until \_\_\_\_\_  
(Date)

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say that he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussion between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this \_\_\_\_\_ day  
of \_\_\_\_\_ 20\_\_\_\_\_.

My commission expires \_\_\_\_\_

\_\_\_\_\_  
NOTARY PUBLIC (CLERK OR JUDGE)

(SEAL)

Firm: \_\_\_\_\_

Signed by: \_\_\_\_\_ Title: \_\_\_\_\_

Print Name: \_\_\_\_\_

Address: \_\_\_\_\_ Phone: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_

Zip: \_\_\_\_\_

NOTE: Other terms and conditions can be added at the discretion of the county officer.

**BID SHEET FOR SALE OR TRADE**

Bidder: \_\_\_\_\_  
Address: \_\_\_\_\_  
City, State, Zip: \_\_\_\_\_  
Phone Number: \_\_\_\_\_  
Signature: \_\_\_\_\_

**FOR SALE 2016 JOHN DEERE 772G GRADER WITH 6WD**

2016 JD Motor Grader, Serial #1DW772GXPPF673049 and can be viewed at the District #1 County Shop in Gate, OK.

**Bid \$** \_\_\_\_\_

**Trade \$** \_\_\_\_\_ **NA** \_\_\_\_\_

**Bids are due in the Office of the County Clerk on or before April 22, 2022 at 5:00 p.m. Bids will be opened on April 25, 2022 at 10:00 a.m.**

**THE BOARD OF COUNTY COMMISSIONERS RESERVES THE RIGHT TO REJECT ANY OR ALL BIDS.**

# New Equipment Information Sheet

Date: 10 DEC 2015 ID# 152

Description: ROAD MAINTAINER / GRADER

Make: John Deere Year: 2016

Model: 772G H.P. \_\_\_\_\_

S/N 1DW772GXPFF673049 GVWR: \_\_\_\_\_

Eng: 9.0L Make: John Deere

Trans: STANDARD Speed: \_\_\_\_\_

Trans Model: \_\_\_\_\_ Rear Axle Ratio: \_\_\_\_\_

A/C:  Yes or No AM/FM:  yes or no Heater:  Yes or no

Tire Size Front: 14:00R24

Brand: Mechilin

Tire Size Rear: 14:00R24

Brand: Mechilin

Bucket: yes or  no Size: \_\_\_\_\_ yds.

Dump bed: yes or  no Size: \_\_\_\_\_ yds.

Cab:  Reg. / Ext Fuel Cap. \_\_\_\_\_ gal

12V convertor:  yes or no Backup Alarm: yes or no

Other REAR CAMERA, FENDERS - FRONT TIRES, 5yr/7000hr warranty, REAR RIPPER/SCARFIRE, MIRRORS, LIGHTS, FIRE EXTINGUISHER, HEATED SEAT

**JDCFC Dealer Net**

John Deere Construction & Forestry Dealers  
Serial No. / Option Codes

Serial Number Retention  
[Main Menu](#) | [Feedback](#) | [Help](#)

071491: THERE WERE NO NOTES  
FOUND FOR THIS MACHINE.

PIN:  [Process](#)

**Machine**

PIN: DW772GX673049      Engine: RG6090U020908  
Model: 772G      Engine Model: \_\_\_\_\_  
Base Machine: 8470T      Comp. Warranty: NO

Base Machine Code:

**Component Serial Numbers**

TRANSMISSION:	YZTF18C183709	DIFFERENTIAL:	PEAG251629566
LEFT FWD DRIVE:	CEHDFWF102095	ECU:	548097-158142
FRONT HFWD PUMP:	S0915043525	REAR HFWD PUMP:	S0915043524
RIGHT FWD DRIVE:	CEHDFWE102088	HYDRAULIC PUMP:	A154113969
CIRCLE DRIVE:	CEGSMGF101541	FRONT DRIVE:	CETDMAD112083
REAR DRIVE:	CETDMAD112084	PIVOT:	CETPAAD101268

**Build Codes**

Code	Description	Code	Description
1010	STANDARD HYDRAULIC CONTROLS	1140	9.0L ENG,EPA FINAL TIER IV
1240	ALTERNATOR 200 AMP	1310	QUICK SERVICE GROUP
1410	STANDARD FUEL LINES	1610	HYDRAULIC PUMP DISCONNECT
1710	JDLINK NORTH AMERICA 5 YEARS	1830	BLACK EXHAUST STACK
1920	NO BLADE IMPACT ABSORPTION	2070	14'X27"X1" MB (8" CEX5/8")
2575	NOT TOPCON READY	2605	ENGLISH OPERATOR MANUAL
2775	NO TOPCON RADIO INSTALLATION	2820	SNGL INPUT W/ SLIP CLUTCH
4416	14R24 G2 1* MICH 3PC RIM	5025	LOW CAB W/FIXED FT***OPEN SD
5520	NO AUTOSHIFT TRANSMISSION	5710	TRANS VALVE SOLENOID GUARD
5815	HYDRAU-GREASE,OIL,FUEL,COOLN	6030	NO CAB PRECLEANER
6130	PREM POST/CONT FABRIC AIRSUS	6520	RH 5 FUNC CONTROL VALVE
6620	LH 5 FUNC CONTROL VALVE	6720	FRONT MOUNTED SCARIFIER
6810	REAR RIPPER/SCARIFIER COMBO	7160	DLX LIGHTING PKG W/HAL +8XTR
7810	STANDARD FT FENDERS	8120	CONVERTER, 25 AMP 24V TO 12V
8210	MIRROR, CONVEX EXTERIOR	8310	LOWER FRONT INT WIPER/WASHER
8410	RADIO AM/FM/WB	8510	A/C - CHARGE
8730	NO SOUND ABSORPTION PKG	8810	REAR CAMERA
9120	SUNVISOR-FRONT WINDOW	9130	REAR RETRACTABLE SUNSHADE
9210	PEDAL DECELERATOR	9220	FIRE EXTINGUISHER
9273	RT SIDE ENGINE WORK LIGHT	9295	LH FLIP DOWN BEACON BRACKET

**Notes**

Line	Notes	By

## Equipment Details

**Prepared For:** Brad Raven  
Email: bvrco1@ptsi.net

**Dealership:** JASON BERGDALL  
YELLOWHOUSE MACHINERY CO.  
1300 W CHESTNUT ST  
ENID, OK 737034305  
Phone: 5802335000

Date September 04, 2015

Offer Expires: 30 Days

All amounts are displayed in USD

### 772G MOTOR GRADER with 6WD

Code	Description	Qty	List Price
8470T	772G MOTOR GRADER with 6WD		
	<b>Options</b>		
<b>Required Items:</b>			
1010	772G with Standard Hydraulic Controls	1	
1140	John Deere PowerTech PSS 9.0L meets EPA FT4 Emissions (266 Net Peak hp) For use only in areas where EPA Final Tier 4 is required. Requires engine exhaust code 1830 or 1840.  Automatic Exhaust Filter Regeneration Series Turbo Chargers Cooled Exhaust Gas Recirculation 4 Valves / Cylinder Wet Sleeve Cylinder Liners Auto-Idle and Programmable Auto-Shutdown Automatic Starter Overload Protection Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel Compatible Electric Fuel Priming System 10-Micron Primary Fuel Filter/Water Separator, 500 hour 2-Micron Final Fuel Filter, 500 hour Inline Fuel Strainer Spin-on Oil Filter, 500 hour Oil crankcase filter, Lifetime Auto-Tensioned Serpentine Belt Under Hood Dual Element Air Cleaner with Restriction Indicator Engine Intake Rotary Ejector Precleaner	1	
1830	Engine Exhaust with Flat Black Stack for 9.0L (EPA FT4 only)	1	

	Requires engine code 1140.	
2575	No Grade Control Base Kit Installed	1
2775	No Topcon Radio Installation	1
1710	JDLINK Ultimate Cellular for the Americas, excluding Costa Rica - 5 Years Includes JDLINK hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLINK Ultimate activation.	1
	JDLINK utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLINK hardware to restore functionality.	
	Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLINK customer account must be created to access JDLINK Ultimate data. Go to <a href="http://www.StellarSupport.com">www.StellarSupport.com</a> to renew or update JDLINK subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at <a href="http://www.JohnDeere.com/Agreements">www.JohnDeere.com/Agreements</a> . If these terms and conditions are not agreeable do not proceed and do not use the service.	
2820	Single Input Gearbox with Slip Clutch Slip clutch protects circle, circle drive gearbox and draft frame from damage when end of moldboard comes in contact with stationary objects. Slip clutch is integral to the circle drive gearbox assembly and allows the circle frame to rotate, avoiding damage to the machine, when the end of the moldboard comes in contact with an immovable object.	1
7160	Deluxe Grading Lights (18 Halogen Lights) Includes light code 7130 Grading Lights plus (8) additional work lights (4 - corner cab, 2 - front cab, and 2 - right-side cab roof).	1
5025	Low Cab w/ Fixed Lower Front and Side Opening Windows	1
8810	Rear Camera Rear view camera with a dedicated monitor.	1
8510	Air Conditioner Refrigerant Charged	1
8210	Exterior Mounted Rearview Mirrors	1
8120	24-to-12 Volt Converter (30 amps peak / 25 amps continuous) Recommend code 8120 for additional 12 volt needs, such as business band or CB radios	1
8410	AM/FM Radio with Aux and Weather Band (WB)	1
8310	Lower Front Intermittent Wiper & Washer	1
6030	No Powered Cab Air Precleaner	1



6130	Premium Heated, Leather/Fabric, High-Wide Back, Air Suspension Seat with Armrests For use with cab codes 5020, 5025, 5030 & 5035. This seat does not include a headrest. If a headrest is desired, please order AT361342 from service parts.	1
1240	200 amp Alternator Requires engine code 1140.	1
2070	14 Ft. x 27 In. x 1 In. (4.27 M x 686 mm x 25 mm) with 8 In. x 3/4 In. (203 x 19 mm) Cutting Edge and 5/8 in. (16mm) Hardware Requires engine code 1120, 1125 or 1140.	1
1920	No Blade Impact Absorption System	1
5520	Manual Shift Transmission (no Autoshift)	1
6520	Base Hydraulics w/ 1 Auxiliary Function Control Requires configuration code 1010. Base functions plus 1 function w/float control - front plumbing and hoses for Scarifier or auxiliary application. For use with front scarifier.	1
6620	Base Hydraulics w/ 1 Auxiliary Function Control Requires code 1010. Base Functions plus 1 function w/float control and lines for Ripper or auxiliary application. For Use with Rear Ripper/Scarifier Combination.	1
5815	Hydrau - Greases, Oil, Fuel & Coolant Broad ambient operating temperatures. Operating range: -25°C to 50°C -13°F to 122°F	1
1310	Quick Service Group	1
1410	Standard Fuel & Water Filtration	1
1610	Hydraulic Pump Disconnect Required with engine code 1140. Required for Canada and Russia.	1
5710	Transmission Solenoid Valve Guard Required with engine code 1140. Required for Canada and Russia. Recommended for snow plowing applications	1
6720	Front Scarifier Includes Front Hydraulics, plumbing and hoses Scarifier with 2 pitch positions and 9 shank pockets Five 1 x 3 inch Scarifier Shanks w/teeth If additional shanks are desired order (1) each of T6Y5230 Tooth, T114792 Shank and T104223 Retainer for each set. Can not be used with 6550 Hydraulics.	1
6810	Rear Mounted Ripper/Scarifier Combination with Rear Hitch and Pin Includes Rear mounted Ripper/Scarifier with rear hitch and pin. NeverGrease Pin Joints. Three 2 x 5 in. Ripper Shanks w/teeth.	1

Does not include Scarifier Shanks w/teeth (offered in code 9430: (9) Extra Scarifier Shanks w/Teeth For Rear Ripper/Scarifier)  
 Can not be used with codes 6550, 6560 or 6610.  
 Recommend Front Push Block (or other front equipment) for proper weight distribution and performance.

4416	Michelin XGLA2	1
7810	Front Fenders	1
8730	No Sound Absorption Package Requires engine code 1140.	1
2605	English Labels and Decals	1
<b>Optional Items:</b>		
9360	Engine Block Heater Recommended for use on machines that will be operating above 8,000 feet (2440 meters) in altitude, and/or colder than 0 degrees F (-18 degrees C). Includes all weather receptacle conveniently located at ground level Requires: Code 1610 Hydraulic Pump Disconnect	1
9370	Ether Starting Aid Requires 9.0L engine, codes 1110, 1120, 1125, or 1140 Cannot be used with code 9340, Engine Air Intake Manifold Pre-Heater  Ether can not included.	1
9273	Right Side Engine Compartment Work Light	1
9295	Flip Down Cab Beacon Bracket (LH) Order codes 9290 and 9295 for dual beacon brackets.	1
9120	Front Window Movable Sun Visor	1
9130	Rear Retractable Sun Shade	1
9210	Decelerator	1
9220	5.0 lbs. multi purpose (ABC) Dry Chemical Fire Extinguisher	1
9460	Left Hand Moldboard Extension, 2 foot in length Requires moldboard code 2060 (moldboard 24 inches tall). Requires moldboard code 2070, 2080, or 2081 (moldboard 27 inches tall). Not available with 9465 (right hand moldboard extension). Not available for Russia.	1
9430	(9) Extra Scarifier Shanks w/Teeth For Rear Ripper/Scarifier Requires Code 6810 Ripper/Scarifier.	1
AT302544	One Hand Blade Lift Kit To convert two-hand blade lift controls to one-hand controls on the right side, when the machine is already equipped with a RH 5th function valve. Installation instructions T212017	1

**Configuration Total:**