BEAVER COUNTY CLERK

Kelly Yeomans P. O. BOX 338 BEAVER, OKLAHOMA 73932 PHONE 580 625-3151

TO WHOM IT MAY CONCERN:

Bids will be received until **November 14**, **2025 at 5:00 P.M.** in the Beaver County Clerk's Office of the Beaver County Courthouse in Beaver, Oklahoma.

Said bids will be publicly opened and considered by the Board of Beaver County Commissioners in the Commissioner's Office on **November 17**, **2025 at 10:00 A.M.** with the right being reserved to reject any or all bids.

The following criteria should be met when submitting a bid:

- 1. The bid shall be made on the enclosed "Invitation to Bid" and the Affidavit of Non-Collusion must be signed and notarized.
- 2. All prices quoted shall be F.O.B. Beaver County.
- 3. Place your bid in a sealed envelope clearly marked, "SEALED BID #1". This ensures that the bid will not be voided due to accidental opening.
- 4. On all bids requiring services or contract labor, proof of liability insurance with at least \$1,000,000.00 liability and Workmen's Compensation is required. If you cannot furnish these you must furnish us with a Certificate of Non-Coverage.

NOTE: ALL BID PROPOSALS WILL BE DEEMED INVALID AND THEREFORE REJECTED WHICH DO NOT CONTAIN THE "INVITATION TO BID" AND THE SIGNED AND NOTARIZED "NON-COLLUSION AFFIDAVIT".

Thank you for your cooperation and participation in this bidding procedure. Should you have any questions, please feel free to contact the Beaver County Clerk's Office at (580) 625-3418.

Respectfully,

Kelly Yeomans Beaver County Clerk

Kelly Yeomans, Beaver County Clerk COUNTY PURCHASING OFFICE P.O. Box 338

Beaver, Oklahoma Phone: (580) 625-3418

INVITATION TO BID

DATE ISSUED
October 21, 2025

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE SIDE RELATING TO SUBMISSION OF THIS BID.

Notarized Affidavit completions and signature required on reverse side.

1 OF 14

		no and sign	ature required on reverse side.			
BID NUMBER			BID CLOSING DATE AND HOUR REQUIRED DELIVERY		Y DATE	
	#1		November 14, 2025 @ 5:00 P.M.			
TERMS:					DATE OF DELIVERY:	
		T				
	- 40000	Unit of				
Item	Quantity	Issue	Description		Unit Price	Total
			The Board of County Commissioners will			
			open sealed bids for a twelve (12) n			
			contract for the printing of Election E			
			for a period from January 1, 2026 th			
		1	December 31, 2026.			
		1	1			
			Bids must be received in the Cou	-		
		1	Clerk's Office by November 14, 20)25 at		
			5:00 P.M.			
			Bids will be opened on November	. 17		
			2025 at 10:00 A.M.	17,		
			2025 at 10.00 A.W.			
			The Board reserves the right to re	loct		
			any or all bids.	-ject		
			ally of all blus.			
Î			ĺ	11	ĺ	
		1	1			

TERMS AND CONDITIONS

 Sealed bids will be opened 	d in the Commissioner's	Conference Room,	Beaver	
County Courthouse,	Beaver	, Oklahoma, at the time a	and date shown on the	
invitation to bid form.				
2. Late bids will not be considered	dered. Bids must be red	ceived in sealed envelopes (or	ne to an envelope) with bid nur	mber
and closing date written or			. ,	
3. Unit prices will be guarante		•		
4. Firm prices will be F.O.B.	·			
•		unty, Oklahoma, are not subje	ct to state or federal taxes.	
		when accepted by the County		
		oid to a county for goods or se		
sworn statement of non-co				
8. Bids will be firm until				
	(Date)	ei		
	(=)			
AFFIDAVIT: Lithe undersign	ed of lawful age being	first duly sworn on oath say th	at he (she) is the agent author	hazi.
_		states that the bidder has not	` ,	izeu
		by agreement to bid at a fixed		a :
	· ·	uailty or price in the prospective		ರ ,
•		ween bidders and any state of	•	
		n in the letting of a contract; the	•	-4
				Ot
-		te to any officer or employee of	,	
	ier thing of value, either	directly or indirectly in the pro	curing of the award of a contra	ict
pursuant to this bid.				
Subscribed and sworn before this		day		
of	20	(SEAL)		
		Firm:		
My commission expires		Signed by:	Title	: :
		Fillit Name.	-	
		Address:	Phor	ne:
NOTARY PUBLIC (CLE	RK OR JUDGE)			
		City:	State	:
			Zip:	

NOTE: Other terms and conditions can be added at the discretion of the county officer.

Contracts shall only be awarded to printers, pursuant to 230: 25-21 of the Oklahoma Administrative Code, who have been approved by the State Election Board upon successful completion of the digital ballot printing certification process.

Objective

To secure the digital printing and delivery of official ballots, sample ballots, and absentee ballots (if applicable) for all orders placed during the period of the contract.

Agreement

This Contract is between its agents and appropriate	the e officials) henceforth to whom the	County Election Boar referred to as "County Election Boar referred to a "C	rd (in conjunction with ection Board", and the referred to as				
"Printer". On this	day of	e bid is awarded, hencefor, 20, both partic	es have agreed to the				
terms and conditions stat	ed in this contract, ind	licated by their signatures.	is nave agreed to are				
	<u>Contra</u>	act Length					
Contract is effective on the effect for the period of	his day of months. End	, 20	It will remain in				
	Contra	act Details					
I. <u>In accordanc</u>	e with 26 O.S. § 6-12	<u>20</u>					
	_	; only one (1) Printer shall	be awarded the				
	or the time period liste						
		ide proof of insurance at the					
	copy of their insurance certificate must be provided to the County Purchasing						
	Agent in the amount of \$ for the duration of the contract. c. Ballot quantity requirements for any election may be raised or reduced from quantity originally ordered if deemed necessary by the Secretary of the Cou						
Election E		emed necessary by the Se	ciciary of the County				

The Secretary of the State Election Board shall determine the number of ballots to be printed for statewide elections. The Secretary of the County Election Board shall determine the number of ballots to be printed for county, school, municipal, and local elections. The printing cost for each election shall be based on the final quantity of

II.

Ballot Quantities/Pricing Adjustments

ballots ordered by and delivered to the County Election Board. If the quantity of any type of ballot provided is less than or greater than the quantity originally ordered, the cost of printing should reflect the exact final quantity accepted by the County Election Board. Payment will be per the approved rate for each ballot printed stated in the accepted bid and rate listed on the included pricing form.

Note: Additional shipping charges may be included on small orders of 200 or fewer.

III. Specifications

All digitally printed ballots and stubs must be prepared in accordance with specifications listed in the document attached, *Oklahoma Specifications for Digital Ballot Printing*. The County Election Board is not responsible for payment on ballots that are not properly printed due to any deviation from these specifications.

IV. Ballot Materials

Printer agrees to furnish all ballot stock, materials and equipment necessary to complete digital printing of ballots, proper packaging, and delivery of said ballots to the County Election Board.

V. Delivery Date

Delivery dates specified by the State and County Election Board are critical. For all elections conducted on the date of a federal and/or state election, all printed ballots shall be delivered to the County Election Board no less than fifty (50) days prior to the election date; however, for any local or county elections, not part of a federal or state election, the State Election Board may adjust the ballot delivery schedule. For all other elections, ballots shall be delivered to the County Election Board no less than thirty (30) days prior to the election date. Any changes or adjustments to these outlined timelines must be approved by the Secretary of the County Election Board.

VI. Late Delivery

If Printer breaches its obligation to deliver all ballots by the dates agreed upon in this contract, the County Election Board shall have the right to recover liquidated damages for each day that the ballots were delayed past the deadline. Damages will be applied as follows: ten percent (10%) of the total cost of all ballots printed, per day. Such damage amounts shall be subtracted from the original total amount billed on Printer's invoice to the County Election Board.

VII. Ballot Security

Printer is obligated to maintain security of any and all digital data, materials and physical ballots in their custody. Custody of ballots ends only when successfully delivered to the County Election Board. Printer will be responsible for taking all necessary precautions to maintain the highest level of security at their location and while ballots are in transit. Printer must prevent any unauthorized access to ballots, election-related computers, digital ballot data and/or printed ballot data, and all other ballot related materials provided to Printer by the State Election Board. Printer may not release any of the aforementioned items to anyone other than an approved representative of the State or County Election Board.

The following credentials have been met a, 20	and this contract agreed upon this day of
☐ Completed Digital Ballot Printing Cert.	ification
☐ Approved by State Election Board	
Contract entered into by:	
Secretary of	_ County Election Board
Representative (Please Print)	
Address	
Phone Number	
Signature	
Awarded Printer	
Representative (Please Print)	
Address	
Phone Number	
Signature	

DIGITAL BALLOT PRINTING CONTRACT BALLOT PRICING FORM

All ballots and stubs printed, cut, and delivered shall meet size and bar-coding requirements listed in the current version of Oklahoma Specifications for Digital Ballot Printing.

REGULAR BALLOTS		
	Unit Price	Additional Cost for Color Distinction
8.5 x 14.0 inches Price per ballot:		
8.5 x 17.0 inches Price per ballot:	-	//
8.5 x 19.0 inches Price per ballot:		
ABSENTEE BALLOTS (If Applicable	, e.g., in Oklahoma and T	,
	Unit Price	Additional Cost for Color Distinction
8.5 x 14.0 inches Price per ballot:		:
8.5 x 17.0 inches Price per ballot:		
8.5 x 19.0 inches Price per ballot:		
SAMPLE BALLOTS		
	Unit Price	Additional Cost for Color Distinction
8.5 x 14.0 inches Price per ballot:		-
8.5 x 17.0 inches Price per ballot:		
8.5 x 19.0 inches Price per ballot:		
SHIPPING CHARGE		
Optional shipping charge may be include	d on orders of 200 or few	er ballots at \$

COLOR DISTINCTION

Describe the color distinction method to be employed where distinction is required.

OKLAHOMA SPECIFICATIONS FOR DIGITAL BALLOT PRINTING

SECTION 1. INTRODUCTION

1.1 PURPOSE

This document specifies the requirements for the printing of digital ballots for all elections conducted in Oklahoma.

Included are the printing specifications that are to be followed by a printer (Printer) certified by the State Election Board. Only a Printer that has been certified by the State Election Board as capable of digitally printing ballots for use in Oklahoma with the Hart InterCivic eScan A/T voting device and with Hart InterCivic's Ballot Direct software application may bid on ballot printing.

1.2 SCOPE

This document specifies requirements for Printers to produce digital ballots compatible with the Hart InterCivic eScan A/T and Ballot Direct functionality. These specifications define the minimum requirements and the Election Board reserves the right to change or add to these specifications at any time it is deemed necessary. If any changes are made, the Printer will be provided with the new specifications prior to the time printing begins for the next scheduled election.

Ballots should not vary from the specifications without prior approval from the Election Board. The Election Board shall not be responsible for paying for any ballots not produced in accordance with all ballot specifications.

Any and all questions regarding ballot specifications and production should be immediately presented to the Election Board prior to digitally printing any ballot.

1.3 OVERVIEW

These specifications are to be used by the Printer and will be used to specify the ballot and printing requirements for certifying Printers. Ballot Direct is Hart InterCivic's central count and ballot-on-demand election software component and the eScan A/T is a precinct-based component that digitally scans and tabulates ballots. Ballot Direct produces the formatted ballots. Ballot Direct supports both direct printing of ballots and produces a PDF file for remote printing by third parties (Printer).

SECTION 2. REQUIREMENTS

2.1 PRINTING EQUIPMENT

Hart InterCivic's Ballot Direct and eScan A/T election products are designed to accept digitally printed ballots produced by laser equipment. Any equipment used in the production of ballots must be maintained in accordance with the manufacturer's specifications. Given that digital equipment continues to change and update, the Election Board does not provide a list of approved equipment since it may arbitrarily exclude new or less common equipment. Any printing equipment must produce documents at 600 dpi or higher.

2.2 FILE FORMAT

Files provided to a Printer are in Adobe .pdf format and will be accessible via an FTP website using a login and password provided by the State Election Board or other secure means as directed by the State Election Board.

2.3 BALLOTS

Ballots must be printed using digital printer(s). Each ballot will have a unique barcode and will be printed on both sides (duplex). Each regular ballot printed will include the name of the county, the entity, and the precinct for which the ballots are printed. Absentee ballots may be printed by style or by precinct.

The width of all ballots must be 8.5". All ballots for a given county will be of the same length, but length may vary from county-to-county for the same election date. Absentee and regular ballots must be stitched into book form. The number of ballots per book shall be 100. When the number of ballots needed for a precinct is less than 25, the ballots shall be stitched in a book of 50. Sample ballots shall not be bound or stitched into books. All regular and absentee ballots shall have a line of micro perforation separating the stub (top of ballot) from the actual ballot. The micro perforation shall be placed 3 inches from the top of the stub for 14.0 and 17.0 inch ballots and 2 inches from the top of the stub for 19.0 inch ballots. The micro perforation must allow for easy removal of the ballot from the stub without tearing the ballot. The micro perforation shall be 36 perforations per inch.

The ballot files will contain all ballots for a given precinct/style including the numbers.

2.4 BARCODES

All ballots will have unique barcodes included on both faces of all ballots. Three barcodes are used:

 Unique Barcode – A barcode placed on the ballot stub and the ballot that uniquely identifies the ballot. This barcode assists in preventing multiple ballots from being

03/23 Page 2

- processed through the scanner at the same time and prevents a ballot from being processed more than once.
- Election ID Barcode An identification barcode that is unique for every election and used internally by the software.
- Ballot Identifier Barcode A barcode printed on the paper ballot that indicates the precinct number, party, language, and page number of the ballot. In addition, the first three characters of the barcode identifies whether the ballot was printed from the Ballot Direct application or an external ballot printer, and if the ballot is an official ballot, absentee ballot, sample ballot, or a test ballot.

2.5 BALLOT IMAGE MODIFICATION

No image may be added to the ballot without prior written approval from the Election Board.

2.6 PAPER SPECIFICATIONS

All official ballots must be printed on paper stock that meets or exceeds the specifications. All stock and supplies must be furnished by the printer. Official Ballot Paper is #1 grade bond, laser guaranteed, meeting the following minimum specifications:

Basis Weight:

28# Bond

Finish:

Smooth Xerography

Sheffield:

100-120

Brightness:

91-94

Content:

Virgin wood fiber, no recycled content

Florescent level:

4%

Moisture content:

4.5% Moisture resistant ream wrap

Packaging: Trim:

+/- 0.025"

Squareness:

+/- 0.025"

Toner Adhesion:

Mill treatment which allows optimum binding of toner and paper

fibers

Stub:

36 micro perforations per inch

Color:

Primary election ballots must be distinguished by color as directed

by the Election Board

2.7 BALLOT COLOR

Color distinction may be made by the use of colored stock or by a color bar. Colored stock recommendations by Hart InterCivic include *Domtar 70-Pound Smooth* and *International Springhill Opaque*. Approved colors from these sources include only white, ivory, pink, and yellow. Ballots may be printed with a colored bar imposed on the ballot stub.

Specifications require the use of only laser-safe inks and a 48-hour allowance for drying purposes prior to laser imaging of ballot copy.

The printed bars must be printed in a Pantone Matching System (PMS) colors.

Color distinctions for ballots shall be at the discretion of the Election Board according to color availability from successful bidder. Absentee ballots of the same style or precinct shall be printed with the same color bar or on the same color ballot stock as the regular ballots.

2.8 COLOR CODING OR HIGHLIGHTS

No image, screen, tint, logo, pantograph, or any mark may be added to the ballot which encroaches upon the ballot area (rectangular outline box within which all ballot copy resides), nor within any vertical tracks from sheet edge to ballot area, top to bottom, where the barcodes exist. Highlight printing with color toner may only be performed at the same time and machine pass that the ballot image is printed. Pre-printed stock, i.e. stock which has been printed using the lithographic process, shall be printed only with laser safe inks, and allowed to dry for 48 hours prior to laser imaging.

2.9 SAMPLE BALLOTS

Files for sample ballots will be provided in the same manner as regular official ballots. Sample ballots will not be numbered, stitched or perforated. Sample ballots will be shrink-wrapped.

SECTION 3. PRODUCTION

3.1 PAPER CONDITIONING

Official Ballot Paper must be properly conditioned in accordance with the printer manufacturer specifications. Conditioning time increases proportionally to the difference in temperature between storage and production locations.

Paper that is purchased in trimmed to size reams should be prepared for a print job by removing outer skid wraps. Do not remove from cartons or remove ream wraps from paper.

The following chart should be used for conditioning ream wrapped papers:

Paper Quantity	Cut Sheets, Ream Wrapped in Cartons Difference in Temperature (From Storage to Production Area)						
(Number of Cartons)	10° F	15° F	20° F	25° F	30° F	40° F	
	Number of Hours to Condition						
1	4	8	11	14	17	24	
5	6	11	15	18	22	31	
10	8	15	20	24	29	41	
20	11	18	24	29	35	49	
40	13	21	28	34	41	58	

3.2 TRIMMING

Ballot Direct produces a .pdf for each unique ballot and supports sizes (in inches) 8.5×11 (14" with 3" stub), 8.5×14 (17" with 3" stub), and 8.5×17 (19" with 2" stub). These sizes do not require trimming, and are guaranteed to meet all tolerances required.

Cutter blades should be changed every 2000 to 2500 pulls, which generally equates to every other day in two-shift production. Failure to change blades as recommended will result in inaccurate cuts and improper feeding into the digital printer and/or the scanner, ultimately resulting in rejected ballots.

Stock width must be plus or minus .025" from target. Mylar overlays shall be used for testing periodically throughout the production day. Stock must be square. Any variation in excess of 0.025" is unacceptable.

3.3 PRINT PRODUCTION

The .pdf file must be printed at 100% image size. A Mylar overlay for comparison with printed ballots may be obtained from the State Election Board or Hart InterCivic and shall be used to verify ballot format, at a minimum of every 500 ballots or for each precinct printed, whichever is less. The linearity shall be verified at the same sampling rate, using a linearity Mylar overlay supplied by the SEB. The Printer must test bar code position with the overlay every 500 ballots, and print, validate, and retain five consecutive linearity grid sheets prior to commencing production and hourly thereafter. These tests should also be re-validated during the post-production QC period after the ballots have re-acclimated to room temperature.

The image must be centered on the page within 0.060" left to right and 0.125" top to bottom. Image size must not vary from ballot to ballot more than 2.0% from actual. For general comparison, overall text or graphics stretching is not to exceed .864 cm/.0340 in. Toner "spray" must not be visible to the naked eye.

3.4 PERFORATIONS

All regular and absentee ballots shall have a line of micro perforation separating the stub (top of ballot) from the actual ballot. The micro perforation shall be placed 3 inches from the top of the stub for 14.0 and 17.0 inch ballots and 2 inches from the top of the stub for 19.0 inch ballots. The micro perforation must allow for easy removal of the ballot from the stub without tearing the ballot. The micro perforation shall be 36 perforations per inch.

3.5 GRAIN ORIENTATION

Ballots shall be printed with the paper grain parallel to the ballot width (grain short) to minimize dimensional changes.

SECTION 4. POST PRINT PRODUCTION

4.1 POST-PRINTING CONDITIONING

Digital printers fuse toner to paper using very high heat and pressure. Moisture is removed from the stock during this process. Ballots printed using digital presses require a minimum of 24 hours prior to beginning other bindery processes, in order to allow the stock to re-acclimate.

4.2 STITCHING

Absentee and regular ballots must be stitched into book form. The number of ballots per book shall be 100. When the number of ballots for a precinct is less than 25, the number of ballots per book shall be 50. Sample ballots shall not be bound or stitched into books. Each book of consecutively-numbered ballots shall be stitched together in the top 1/4 inch margin of the stub. Staples should not interfere with any number or text matter that appears on the stub.

03/23 Page 6

4.3 SHRINK-WRAPPING

Printed ballots shall be shrink-wrapped by precinct number in maximum packages of no more than four books of 100 ballots each. Ballots are packaged by shrink-wrapping in such a way that edges are not damaged by flares, delamination, bends, and tears to the ballot stock.

4.4 PACKAGING

Printed ballots are to be packaged in the order provided in the transmitted files. Completed ballots shall be shrink-wrapped following post-production conditioning. Optimum package size is 200 to 400 ballots. If there are less than 200 ballots per package, turn shrink tunnel heat down to prevent full wrap shrinkage and resultant curling of ballots.

Shrink-wrapped packages shall be reinforced with index or chipboard. Packages shall be labeled to reveal enough pertinent information about the contents to ensure the package can remain sealed until ballots are ready to be voted.

4.5 CARTONS

Ballot packages shall be protected in corrugated cartons of single wall construction, #275 virgin Kraft, approximately .125"-.250" larger than the ballot size. If correct size cartons are not available, corrugated corners shall be fitted to protect the package. Chipboard or corrugated cushions shall be placed on the bottom and top of each carton to further protect ballots. Tamper-proof tape or security tape to seal cartons is required and may be specified by the customer. Fully loaded carton weight shall not exceed 60 pounds. Most "mill" paper cartons do not provide adequate protection for printed ballots, and thus should not be used for shipping completed orders.

4.6 SHIPPING

Ballots shall be boxed and shipped or delivered to the Election Board office(s). Shipping documents shall verify carton contents. The Printer must have a method of tracking shipments and of communicating package delivery status. Bid prices shall include all charges for freight, F.O.B. with inside delivery. A shipping charge may be added to orders of small quantities of ballots.

03/23 Page 7